

**ET-L10**

Data capture  
at a glance



<b>11</b> Android™	<b>5.7"</b> Large Display	<b>15.5</b> mm Extra Slim	<b>240</b> g Weight approx.
-----------------------	------------------------------	------------------------------	--------------------------------

# Robust and Smart

---

Who says mobile data collection can't be smart? ET-L10 is a full-fledged mobile data capturing device for scanning 1D and 2D barcodes within seconds.

The Android™ operating system and a large 5.7 inch full-touch display mean that it is just as versatile and intuitive to use as a smartphone.

The professional all-rounder is ideally suited for use in the retail area or the field service.





### **Elegant and ergonomic**

- 5.7 inch touch display
- 15.5 mm slim housing
- 240 g light weight
- Three trigger keys to scan barcodes

### **Ready for all tasks**

- Built-in CMOS Imager
- 13 megapixel camera
- Fingerprint sensor

### **Can do almost anything**

- Dust and water-resistant IP65
- Drop-resistant up to 1.5 m onto concrete
- -10 to +50 °C operating temperature

### **User friendly**

- Android-Powered
- WLAN and LTE connectivity
- Bluetooth®, NFC, GPS

# CASIO ET-L10

Specification		ET-L10-WC21-11	ET-L10-WC21
CPU		Qualcomm SDM 450 (Octa Core 1.8 GHz)	
OS		Android™ 11	Android™ 9, Upgrading to 11 is available
Memory	RAM	2 GB	
	FROM	16 GB	
Display	LCD	5.7 inch (145 mm) transmissive color TFT LCD (720 x 1,440 pixels HD+)	
	Touch Panel	Capacitive touch panel	
Scanner		CMOS imager	
Camera		13 megapixel, auto focus, LED flash, flash light (torch)	
NFC		ISO14443 Type A/B, Mifare®, FeliCa®, ISO15693	
Bluetooth®		Ver. 5.0 + EDR/LE	
Wireless Communication	WLAN	IEEE 802.11 a/b/g/n/ac, IEEE 802.11d, WPA3(Personal SAE Handshake), WiFi Certified Enhanced Open support	IEEE 802.11 a/b/g/n/ac, IEEE 802.11d
	WWAN	GSM, W-CDMA, LTE	
	GPS	GPS, GLONASS, BeiDou	
Durability	Drop Durability	1.5 m onto concrete	
	Dust and Water Resistance	IP65	
Sensor		Accelerometer, illumination sensor, proximity sensor, fingerprint sensor	
Extensions	USB	USB 2.0 (Client), USB Type-C	
	SD card slot	microSD (SDHC) 32 GB	
	SIM card slot	nano SIM	
Power	Main Power	Lithium-ion battery, Operating period: Approx. 12 hours	
	Capacity	Integrated Lithium-ion battery with 4,000 mAh	
External Dimensions (W x D x H)		approx. 78.8 x 162 x 15.5 mm	
Operating Temperature		-10 °C to +50 °C	
Weight		approx. 240 g (including battery)	

## Accessoires



### HA-T30CHG

Cradle for charging  
(incl. AC adapter)



### HA-T90PS10

Screen protection  
sheets, 10 pcs

Google, Android, Google Maps, Google Drive and other marks are trademarks of Google LLC. MIFARE is a registered trademark of the NXP B.V. FeliCa is a registered trademark of the Sony Corporation. The Bluetooth® trademark is owned by Bluetooth SIG, Inc., USA, and licensed to CASIO Computer Co., Ltd. Other product- and company names are either trademarks or registered trademarks of the respective owners. The design and specifications may vary without notice. The color display of pictures may vary from the actual colours. Screen images are simulated representations. The specifications in the table above were provided in April 2022.

CASIO grants a warranty period of 12 months on all CASIO System products (cash registers and handy terminals).

### Casio Europe GmbH

Casio-Platz 1  
22848 Norderstedt, Germany  
solutions@casio.de  
+49 (0)40 528 65-407  
www.casio-solutions.com



# CASIO®

Mobile Industrial Solutions